

# Technical data sheet

## Partition for WDK trunking, trunking height 100 mm

Item number: 6026990



Partition to divide the WDK trunking, with 100 mm trunking height for the installation of different voltage levels.  
The partitions are pinned on the connectors in the base.



**PVC** Polyvinylchloride

### Master data

|                     |                      |
|---------------------|----------------------|
| Item number         | 6026990              |
| Type                | 2371 100             |
| Description 1       | Partition            |
| Manufacturer        | OBO                  |
| Dimension           | 100x2000mm           |
| Colour              | Light grey; RAL 7035 |
| Material            | Polyvinylchloride    |
| Smallest sales unit | 2                    |
| Unit of quantity    | Metre                |
| Weight              | 40 kg                |
| Weight unit         | kg/100 m             |


# Technical data sheet

Partition for WDK trunking, trunking height 100 mm

Item number: 6026990



## Dimensions



|        |          |
|--------|----------|
| Length | 2,000 mm |
| Width  | 12.6 mm  |
| Height | 87.4 mm  |

# Technical data sheet

Partition for WDK trunking, trunking height 100 mm

Item number: 6026990



## Technical data

|                                   |         |
|-----------------------------------|---------|
| Version for                       | Single  |
| Fastening type                    | Plug-in |
| Halogen-free                      | no      |
| Trunking depth                    | 100 mm  |
| Protection rating                 | IP30    |
| Protection rating IK code         | IK04    |
| Self-extinguishing                | yes     |
| Permitted temperature range, max. | 60 °C   |
| Permitted temperature range, min. | -5 °C   |